



恒信環保(能源)工程有限公司  
Ener-con Engineering Ltd.

# AUTOPILOT®

SALT CHLORINE GENERATORS

Perfect pool water at  
the touch of a button...  
for commercial pools

## AutoPilot

備有多種系列，適合大小不同尺寸或形狀之泳池、水療池，更可配合“AquaCal-HeatWave”高效節能熱泵運行。本公司更提供**完善**之售後服務，包括設計、安裝及保養；只需撥一個電話號碼，即可享獲一年四季皆可暢泳之目的。

## 一種全新之水質處理概念 (美國) 電解鹽氯化消毒系統

- **更環保**  
不用再為儲存大量有害化學物品及安全而操心，空氣質素亦得到改善，又可免除包裝及運輸等工序
- **更經濟**  
無需再定期購買漂白水及其他相關物料。此外，AutoPilot電解鹽氯化消毒系統，外型小巧，安裝及操作非常簡易
- **更衛生**  
符合國際認可之安全、衛生及環保標準，歐美多國已廣泛採用此系統於泳池多年
- **更可靠**  
使用AutoPilot電解鹽氯化消毒系統，池水質素提升，對人體非但無害，且對金屬設施等亦不會損蝕
- **更舒適**  
水質更清澈，游泳時不再有典型的消毒水氣味，泳後更沒有刺眼及痕癢的感覺

令你及顧客、救生員皆滿意之產品

Crystal CLEAR Pool Water

PROFESSIONAL

# Pool Pilot<sup>®</sup> Professional

*"We have had the system in our pool for the last 2 summers. We have been extremely satisfied with it and have received many compliments from our residents. The system has many positive benefits such as much lower chemical costs, improved water quality, we have extended the season without ordering more chemicals, and has drastically reduced chemical storage making us feel safer."*

**The Board of Managers  
The Vineyards at Miller Place  
~ Miller Place, NY**

*"AutoPilot. The name says it all! Since installation, the pool virtually runs itself. The pool water is consistently crystal clear. All of our swimmers enjoy the comfort. Plus our maintenance costs have decreased! I highly recommend an AutoPilot Chlorine Generator for any commercial or residential installation."*


**Craig Frustaci –  
Activities Director  
Jewish Community Center  
~ Boynton Beach, FL**

*"Stonegate Community Association (SCA) recently installed Pool Pilot salt water chlorinators on its 165,000 gallon recreational area swimming pool and spa... Many of the residents have made positive comments inquiring as to what has changed in the treating of the pool. It is the SCA management opinion that **the new system not only has improved water quality but is very cost effective as well.** I would highly recommend Pool Pilot"*

**Larry Paprocki - Executive Director  
Stonegate Community Association  
~Scottsdale, Arizona**



- Modular design for simple customization
  - up to 6 independent power supplies in a single housing
  - up to 6 cells in a single manifold
- Produces up to 15 lbs. (7 kgs) of chlorine per day, 100% pure chlorine
- Digital panel monitors independent cell performance
  - constant and accurate performance feedback on each power supply and cell
- Patented temperature compensation
  - Software-controlled to regulate chlorine output and protect power supply
- Commercially-coated cells
  - assures increased cell chlorine output and cell durability
- Operates at any salt level between 2,000 – 35,000 ppm (sea water) (2.5 g/L – 35 g/L) and provides more operating flexibility than any other competitive model
- Compatible with ORP controllers
  - For constant regulation of chlorine production based on demand
- Salt addition display




**Pool Pilot®**

# Professional



Patented Bypass Manifold with tri-sensor regulates flow for optimum chlorine production and cell life.



### Power Supply

Dimensions: 25" x 28" x 15"  
 Weight: 115 lbs. when using maximum 6 power supplies  
 Allow a reduction of 8 lbs. for each power supply less than 6.

### Cell

Capacity: up to 15lbs. chlorine/day. The manifold assembly is modular and can be used with up to 6 cells, each producing 2.5 lbs. chlorine/day.

### Manifold

Dimensions: 12" x 62"  
 Weight: 30 lbs. (based on 6 cell manifold)

### Part # Description

PRO2US Prof. w/ 2 power supplies & 2 com. Cell manifold  
 PRO3US Prof. w/ 3 power supplies & 3 com. Cell manifold  
 PRO4US Prof. w/ 4 power supplies & 4 com. Cell manifold  
 PRO5US Prof. w/ 5 power supplies & 5 com. Cell manifold  
 PRO6US Prof. w/ 6 power supplies & 6 com. Cell manifold

### General Commercial Sizing Guide For Estimated Bather Load

Metric	Bathers per Cubic Meter						
Cells	75	150	227	303	378	567	643
1	59	39	19	0	0	0	0
2	138	118	98	78	58	0	0
3	217	197	177	157	137	87	67
4		256	236	216	166	146	
5			315	295	245	225	
6				374	324	304	



Salt/pH/TDS/Temperature  
 TRACER PockeTester  
 多用途水質測試器

Based on water temperature of 85°F, Add 1 cell if operating at higher temperature. Calculations based on 24 hours run time. These are estimates only. A complete detailed sizing is necessary.

# Commercial Pools • Residential Pools • Spas

## AutoPilot Salt Chlorine Generators



### SPAPILOT

A unique product, perfectly sized for residential and commercial spa applications.



### POOL PILOT DIGITAL

Our flagship salt chlorine generator, with thousands installed all over the world. This unit has it all, including a digital display in four languages. Powerful enough for any residential pool.




### POOL PILOT TOTAL CONTROL

For easy water quality management, this system will automatically measure, dose and control the sanitizer and pH levels to your requirements.




### CO - PILOT

New and unique, this powerful hybrid of ozone and salt chlorine generation makes light work of sanitizing any pool. Ozone reduces the chlorine demand and prolongs the life of the cell. Your choice for the best water quality.



### DIGITAL/SOFT TOUCH COMBO

Our combo system is designed for both larger residential and semi-commercial pools where up to two commercial grade cells may be required. Simple, cost effective and highly efficient.



### POOL PILOT PROFESSIONAL

Our largest system, capable of handling virtually any body of water. With up to six commercial cells per system and easily installed in multiples, this is the choice for commercial pools, water parks, competitive pools and other large-scale projects.

## AUTOPILOT®


SALT CHLORINE GENERATORS

AutoPilot has been the technological leader in the chlorine generation process for swimming pools since 1976. There are over a half million satisfied AutoPilot owners worldwide. AutoPilot sets the standard for reliability, features and performance.....and has a unit to fit every need and budget.

### Why choose AutoPilot ?

- Patented Bypass Manifold
- Self Cleaning & Reliable
- Microprocessor Technology
- Quality Chlorine Production Cell
- Ecological Product
- Patented Temperature Compensation
- Operates at all salt levels – 2 to 35 g/L/2,000 to 35,000 ppm
- Supported by ENER-CON ENG. LTD.

### How it works...



Address: Flat 1601-07 Sui Fai Factory Est. 5-13 Shan Mei St. Fotan, N.T., Hong Kong 香港沙田火炭山尾街5-13號穗輝工廠大廈1601-07室

Tel : (852) 2690 3137  
Fax: (852) 2690 3523

E-mail : enercon6068@hotmail.com  
Website: www.ener-con.com.hk